## Freeform Search

Database:	US Pre-Grant Publicat US Patents Full-Text Dat US OCR Full-Text Dat EPO Abstracts Databa JPO Abstracts Databa Derwent World Patent IBM Technical Disclos	tabase ase ase s Index					
Term:	L2 and "integrati	ion function"		A W			
Display: 10 Documents in Display Format: - Starting with Number 1							
Generate: C Hit List C Hit Count C Side by Side C Image							
	Sear	ch ( Clear :	interruot:				
	Seal'			J			
		Search Histo					
DATE: Friday,	December 03, 2004	Search Histo	Dry				

L2 and "integration function" 39 <u>L11</u> L11 L2 and (integrat\$3 same airflow same heat\$2) 11 L10 <u>L10</u> <u>L9</u> L7 and (heater adj temperature or coolant adj temperature) 12 L9 2 L7 and (heater or heat source) <u>L8</u> L8 <u>L7</u> transfer function same airflow 60 <u>L7</u> 0 L6 L4 and (transfer function same airflow) L6 L4 and (Integrat\$3 same airflow) <u>L5</u> L5 L2 and (battery near3 temperature) 5345 <u>L4</u> <u>L4</u> L2 and "battery near3 temperature" <u>L3</u> L3 (vehicle or car or automobile) same (battery) . 111907 <u>L2</u> L2 166132 <u>L1</u> (vehicle or car or automobile) and (battery) <u>L1</u>

END OF SEARCH HISTORY

## Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins					
Term:	L5 and "integral"					
Display: 10 Documents in <u>Display Format</u> : Starting with Number 1 Generate: Hit List • Hit Count • Side by Side • Image						
	Search Clear Interrupt					
	Search History					

DATE: Friday, December 03, 2004 Printable Copy Create Case

<u>Set</u>		<u>Hit</u>	<u>Set</u>
<u>Name</u>	Query	Count	<u>Name</u>
side by		<u> </u>	result
side			set
DB = I	PGPB, $USPT$ , $USOC$ , $EPAB$ , $JPAB$ , $DWPI$ , $TDBD$ ; $PLUR = YES$ ; $OP = ADJ$		
<u>L9</u>	determine integration function	0	<u>L9</u>
<u>L8</u>	L7 and "heat transfer"	67	<u>8.1</u>
<u>L7</u>	L5 and "integral"	705	<u>L7</u>
<u>L6</u>	L5 and "integration function"	1	<u>L6</u>
<u>L5</u>	L4 and "engine"	3022	<u>L5</u>
<u>L4</u>	L3 and "battery"	4673	<u>L4</u>
<u>L.3</u>	(coolant adj temperature) or (heater temperature) or (heat temperature)	46088	<u>L3</u>
<u>L2</u>	(coolant adj temperature) or (heater adj temperature) or (heat source adj temperature) and (integration adj function) or (integral) and (heat transfer)	55129	<u>L2</u>
DB = 0	USPT; PLUR=YES; OP=ADJ		
<u>L1</u>	6655835.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

## Freeform Search

		nber [
	图制图	Starting with Number Image
	Ann des color manda. Am	ting w
	ne (Verschilde) - 1 cent of a see - Avenue	Star C Ima
sse	School Sc	Side
Databa	mperature"	ormat Side by
US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins	L49 and " coolant temperature"	10 Documents in <u>Display Format</u> :
US Pre-Grant Publication Full-TUS Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Buller	ant te	s in Disit Con
US Pre-Grant Publication US Patents Full-Text Dat US OCR Full-Text Databs EPO Abstracts Database JPO Abstracts Database Derwent World Patents It IBM Technical Disclosure	cool	ument
Pre-Gra Patents OCR Fu Abstra Went Ww	and	Doc Hit Lis
US US US OPO	L49	e: 0 10
US Pre-Grant Publication US Patents Full-Text Data US OCR Full-Text Database BPO Abstracts Database JPO Abstracts Database Derwent World Patents In	Term:	Display: [10] Documents in <u>Display Format</u> : - Startin Generate: C Hit List © Hit Count C Side by Side C Image
Ä	Ĕ	O D

Search History

Printable Copy Create Case

DATE: Friday, December 03, 2004

Set

Name Query

side by side

DB = PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR = YES; OP = ADJ

- L49 and "coolant temperature"
- L50 L49 and "heat transfer"
- <u>1.49</u> (battery temperature) and (engine)
- 48 L47 and "engine"
- 47 initial battery temperature
- 1,46 innitial battery temperature

DB=PGPB, USPT, USOC, EPAB, JPAB; PLUR=YES; OP=ADJ